

BAETS publications 2007-March 2011

Centre	year	journal	authors	title
2011				
HULL	2011	Clinical Endocrinology 74(3) 384-387	Atkinson, Sinnappa Gunasekaran, Deborah Sylvester, Alan S Rigby, R James England	Predicting thyroxine requirements following total thyroidectomy
HULL	2011	Head and Neck 33(3) 293-296	Moor J.W., Roberts S.,Atkin S.L.,England R.J.A	Intraoperative parathyroid hormone monitoring to determine long-term success of total parathyroidectomy for secondary hyperparathyroidism
LILLE	2011	Langenbeck Arch Surg 395; 919-924	J.Kirkby-Bott, Z El-Khatib, B Soudan, R Caiazzo, L Arnalsteen, B Carnaille	25 hydroxy vitamin D deficiency causes parathyroid incidentalomas
LONDON	2011	World J Surg 35:324–330	J Kirkby-Bott, A Skandarajah, H Markogiannakis, M Cowan, B Fleming, F Palazzo	Pre-operative vitamin D deficiency predicts post-operative hypocalcaemia after total thyroidectomy
OXFORD	2011	Brit J Anesthesia (in press)	Findlay J, Bridge H, Sadler GP, Mihai R.	Tracheal compression for large goitres – airway management
OXFORD	2011	Brit J Hosp Medicine 72(3)M134-137	Findlay JM, Mihai R	Complications of thyroid surgery.
OXFORD	2011	Laryngoscope;121(S1):S 1-S16.	Barczynski M, Bellantone R, Brauckhoff M, Carnaille B, Cherenko S, Chiang FY, Dionigi G, Finck C, Hartl D, Kamani D,	Electrophysiologic recurrent laryngeal nerve monitoring during thyroid and parathyroid surgery: International standards guideline statement.
OXFORD	2011	J Endocrinol Invest 33(11):819-22.	Dralle H, Duran-Poveda M, Iacobone M, Lombardi CP, Materazzi G, Mihai R, Randolph GW, Sitges-Serra A.	Why monitor the recurrent laryngeal nerve in thyroid surgery.

BAETS publications 2007-March 2011

Centre	year	journal	authors	title
2010				
BIRMINGHAM	2010	Clin Oncol (R Coll Radiol)..	Sharma N, Boelaert K, Watkinson JC.	Who Should Treat Thyroid Cancer? A UK Surgical Perspective.
DUBLIN	2010	Ir Med J.; 103(1):26-7	Prichard RS, Murphy R, Lowry A, McLaughlin R, Malone C, Kerin MJ.	The routine use of post-operative drains in thyroid surgery: an outdated concept.
GRIMSBY	2010	Ann R Coll Surg Engl.	Samy A, Ridgway D, Orabi A, Suppiah A.	Minimally invasive, video-assisted thyroidectomy: first experience from the United Kingdom.
HULL	2010	J Laryngol Otol; 124(6):674-6.	Awobem AA, England R.J.	Pre-operative parathyroid localisation: surgical review of sesta-methoxyisobutylisonitrile images is important.
HULL	2010	Journal of Laryngology and Otology 124(11) 1242-4	Biswas D., Karsai L., Atkin S.L., England R.J	Management of carcinoma showing thymus-like element
LEEDS	2010	Clin Radiol.; 65(4):278-87	Patel CN, Salahudeen HM, Lansdown M, Scarsbrook AF.	Clinical utility of ultrasound and 99mTc sestamibi SPECT/CT for preoperative localization of parathyroid adenoma in patients with primary hyperparathyroidism.
LILLE	2010	Langenbeck Arch Surg	J.Kirkby-Bott, Z El-Khatib, B Soudan, R Caiazza, L Arnalsteen, B Carnaille.	25 hydroxy vitamin D deficiency causes parathyroid incidentalomas
LILLE	2010	World J Surgery	J.Kirkby-Bott, B.Carnaille	Experience of the reliability of intra-operative sampling of tissue PTH in parathyroid surgery
LONDON	2010	World J Surg.	Schulte KM, Talat N, Miell J, Moniz C, Sinha P, Diaz-Cano S	Lymph Node Involvement and Surgical Approach in Parathyroid Cancer.
LONDON	2010	Nat Rev Clin Oncol; 7(9):533-43	Schulte KM, Talat N.	Castleman's disease-a two compartment model of HHV8 infection.
LONDON	2010	J Clin Endocrinol Metab.	McGregor A, Diaz-Cano S, Izatt L, Aylwin S, Talat N, Beck-Peccoz P, Dralle H.	The Clinical Spectrum of Multiple Endocrine Neoplasia Type 2a Caused by the Rare Intracellular RET Mutation S891A.
LONDON	2010	Ann Surg Oncol. 17(8):2156-74	Talat N, Schulte KM.	Clinical presentation, staging and long-term evolution of parathyroid cancer.

BAETS publications 2007-March 2011

LONDON	2010	Endocr Relat Cancer. 17(1):159-67	Karamchandani D, Arias-Amaya R, Donaldson N, Gilbert J, Schulte KM.	Thyroid cancer and renal transplantation: a meta-analysis.
LONDON	2010	Horm Res Paediatr.;73(2):135-9.	Srirangalingam U, Khoo B, Matson M, Carpenter R, Reznick R, Maher ER, Chew SL, Drake WM.	SDHD-related chromaffin tumours: disease localisation to genetic dysfunction.
LONDON	2010	Otolaryngol Head Neck Surg; 142(6):851-5.	Elliott MS, Odell EW, Tysome JR, Connor SE, Siddiqui A, Jeannon JP, Simo R.	Role of thyroidectomy in advanced laryngeal and pharyngolaryngeal carcinoma.
MARSEILLE	2010	World J Surg; 34(4):830-5.	M, de Micco C, Palazzo FF, Dusetti NJ, Iovanna JL, Henry JF, Garcia S, Taranger-Charpin C	Tumor protein p53-induced nuclear protein (TP53INP1) expression in medullary thyroid carcinoma: a molecular guide to the optimal extent of surgery?
MARSEILLE	2010	J Clin Endocrinol Metab.; 95(1):303-7	Micco C, Reynaud R, Palazzo FF, Conte-Devolx B, Henry JF, Mundler O, Taïeb D.	Limited value of 18F-F-DOPA PET to localize pancreatic insulin-secreting tumors in adults with hyperinsulinemic hypoglycemia.
OXFORD	2010	Anaesthesia; 65(5):537	Mihai R, Sadler GP	Severe airway and venous compression in large retrosternal goiters
OXFORD	2010	Langenbeck's Arch Surg 395(7):941-6	Gopinah P, Sadler G, Mihai R.	Persistent improvement in quality of life more than 1 year after parathyroidectomy for primary hyperparathyroidism.
OXFORD	2010	J Clin Invest.; 120(6):2144-55	Grigorieva EF, Wei Q, Ali A, Stechman MJ, Mihai R, Kurek D, Fraser WD, Hough T, Condie BG, Manley N,	Gata3-deficient mice develop parathyroid abnormalities due to dysregulation of the parathyroid-specific transcription factor Gcm2.
OXFORD	2010	Int J Surg.; 8(3):186-93	Parameswaran R, Brooks S, Sadler GP.	Molecular pathogenesis of follicular cell derived thyroid cancers.

BAETS publications 2007-March 2011

2009				
BIRMINGHAM	2009	J Cell Sci. 2009 15; 122(Pt 18):3393-402.	Watkins RJ, Watkinson JC, Lewy GD, Fong JC, James SR, Eggo MC, Boelaert K, Franklyn JA, McCabe CJ.	A novel mechanism of sodium iodide symporter repression in differentiated thyroid cancer.
BOURNEMOUTH	2009	Ann R Coll Surg Engl. 2009; 91(7):W1-3.	Cutress RI, Manwaring-White C, Dixon K, Dhir A, Skene AI.	Gamma probe radioguided parathyroid forearm surgery in recurrent hyperparathyroidism.
BOURNEMOUTH	2009	Breast Cancer Res Treat; 117(1):91-8.	Mansell J, Monypenny IJ, Skene AI, Abram P, Carpenter R, Gattuso JM, Wilson CR, Angerson WJ, Doughty JC.	Patterns and predictors of early recurrence in postmenopausal women with estrogen receptor-positive early breast cancer.
CARDIFF	2009	World J Surg. 2009; 33(5):969-71	Scott-Coombes D, Eatock F, Henley R, Luzio SD	Use of intraoperative insulin assay for the localisation of insulinoma.
LONDON	2009	Dis Colon Rectum; 52(9):1637-44.	Will OC, Hansmann A, Phillips RK, Palazzo FF, Meeran K, Marshall M, Clark SK.	Adrenal incidentaloma in familial adenomatous polyposis: a long-term follow-up study and schema for management.
LONDON	2009	Br J Surg. 2009; 96(12):1400-5.	Tysome JR, Chandra A, Chang F, Puwanarajah P, Elliott M, Caroll P, Powrie J, Hubbard JG, Clarke SE, Jeannon JP, Simo R.	Improving prediction of malignancy of cytologically indeterminate thyroid nodules.
LONDON	2009	Eur J Surg Oncol. 2009; 35(3):230-4.	Mills SC, Haq M, Smellie WJ, Harmer C.	Hürthle cell carcinoma of the thyroid: Retrospective review of 62 patients treated at the Royal Marsden Hospital between 1946 and 2003.
LONDON	2009	Br J Surg. 2009; 96(2):185-90.	Isla A, Arbuckle JD, Kekis PB, Lim A, Jackson JE, Todd JF, Lynn J.	Laparoscopic management of insulinomas.
LONDON	2009	Br J Surg. 2009; 96(12):1400-5.	Tysome JR, Chandra A, Chang F, Puwanarajah P, Elliott M, Caroll P, Powrie J, Hubbard JG, Clarke SE, Jeannon JP, Simo R.	Improving prediction of malignancy of cytologically indeterminate thyroid nodules.
LONDON	2009	Int J Clin Pract. 2009; 63(11):1647-52.	Joshi A, Chan J, Bruch G, Jeannon JP, Mikhaeel NG, Fields PA, Simo R.	Thyroid lymphoma and airway obstruction - is there a rationale for surgical management?
LONDON	2009	Clin Otolaryngol. 2009; 34(2):161-4.	Jeannon JP, Simo R, Wallwork B, Bruch G, Clarke S, O'Connell M.	Surgical management of advanced differentiated thyroid cancer -- introducing the concept of wide field total thyroidectomy: how we do it.
LONDON	2009	Int J Clin Pract. 2009; 63(4):624-9.	Jeannon JP, Orabi AA, Bruch GA, Abdalsalam HA, Simo R.	Diagnosis of recurrent laryngeal nerve palsy after thyroidectomy: a systematic review.

BAETS publications 2007-March 2011

MARSEILLE	2009	J Nucl Med. 2009; 50(5):711-7	Taïeb D, Sebag F, Barlier A, Tessonnier L, Palazzo FF, Morange I, Niccoli-Sire P, Fakhry N, De Micco C, Cammilleri S, Enjalbert A, Henry JF, Mundler O.	18F-FDG avidity of pheochromocytomas and paragangliomas: a new molecular imaging signature?
NEWCASTLE	2009	Ann R Coll Surg Engl. 2009; 91(6):489-93	Aspinall SR, Imisairi AH, Bliss RD, Scott-Coombes D, Harrison BJ, Lennard TW.	How is adrenocortical cancer being managed in the UK?
NEWCASTLE	2009	Ann R Coll Surg Engl. 2009; 91(3):214-6	Foreman E, Aspinall S, Bliss RD, Lennard TW.	The use of the harmonic scalpel in thyroidectomy: 'beyond the learning curve'.
OXFORD	2009	Langenbecks Arch Surg. 2009; 394(5):765-84	Mihai R, Simon D, Hellman P.	Imaging for primary hyperparathyroidism--an evidence-based analysis.
OXFORD	2009	Langenbecks Arch Surg. 2009 ; 394(5):785-98	Mihai R, Barczynski M, Iacobone M, Sitges-Serra A.	Surgical strategy for sporadic primary hyperparathyroidism an evidence-based approach to surgical strategy, patient selection, surgical access, and reoperations.
OXFORD	2009	World J Endocrine Surgery 1:31-35	Mihai R, Randolph G.	Voice changes after thyroid surgery and the laryngeal examination-time for increased awareness and accurate evaluation. .
OXFORD	2009	World J Endocrine Surgery 1:53-56	Mihai R, Sadler GP, Ratanutanga C, Roskell D	Lung cancer metastasis into a phaeochromocytoma
OXFORD	2009	Clin Endocrinol (Oxf). 2009; 71(6):787-91	Stechman MJ, Weisters M, Gleeson FV, Sadler GP, Mihai R.	Parathyroidectomy is safe and improves symptoms in elderly patients with primary hyperparathyroidism (PHPT).
OXFORD	2009	Thyroid.; 19(1):33-7.	Mihai R, Parker AJ, Roskell D, Sadler GP.	One in four patients with follicular thyroid cytology (THY3) has a thyroid carcinoma.
OXFORD	2009	Clin Endocrinol (Oxf). 2009; 70(6):968	Mihai R	MIBG scans for phaeochromocytoma: time to abandon the technique?
PETERBOROUGH	2009	Ann R Coll Surg Engl. 2009; 91(2):140-6.	Pfleiderer AG, Ahmad N, Draper MR, Vrotsou K, Smith WK.	The timing of calcium measurements in helping to predict temporary and permanent hypocalcaemia in patients having completion and total thyroidectomies.
SHEFFIELD	2009	Ann R Coll Surg Engl. 2009; 91(1):8-11.	Hardy RG, Bliss RD, Lennard TW, Balasubramanian SP, Harrison BJ.	Management of retrosternal goitres.

BAETS publications 2007-March 2011

SHEFFIELD	2009	Ann Endocrinol (Paris). 2009; 70(3):195-6	Harrison BJ.	Surgery of adrenocortical cancer.
SHEFFIELD	2009	Langenbecks Arch Surg; 394(5):799-809	Harrison BJ, Triponez F.	Intraoperative adjuncts in surgery for primary hyperparathyroidism.
SHEFFIELD	2009	Langenbecks Arch Surg; 394(5):761-4	Bergenfelz AO, Hellman P, Harrison B, Sitges-Serra A, Dralle H; European Society of Endocrine Surgeons.	Positional statement of the European Society of Endocrine Surgeons (ESES) on modern techniques in pHPT surgery.
SHEFFIELD	2009	Clin Endocrinol (Oxf). 2009; 71(5):624-7	Harrison B.	What steps should be considered in the patient who has had a negative cervical exploration for primary hyperparathyroidism?

BAETS publications 2007-March 2011

Centre	year	journal	authors	title
2008				
BASINGSTOKE	2008	Rev Laryngol Otol Rhinol (Bord). 2008; 129(3):211-2.	Duvvi SK, Lo S, Spraggs PD.	An unusual case of intratracheal thyroid.
BOURNEMOUTH	2008	Ann R Coll Surg Engl. 2008; 90(2):W1-5.	Burger AE, Skene AI, Lagattola NR.	Thoroscopic excision of mediastinal parathyroid adenomas: a report of two cases.
BRADFORD	2008	J R Soc Med. 2008; 101(3):144-5.	Michalopoulos K, Gunasekaran S, Moor JW, Bem C.	Dysphagia with a thyroid nodule: is there a primary aerodigestive malignancy?
LONDON	2008	World J Surg. 2008; 32(7):1264-8	Gough J, Scott-Coombes D, Fausto Palazzo F.	Thyroid incidentaloma: an evidence-based assessment of management strategy.
LONDON	2008	Clin Otolaryngol. 2008; 33(2):134-7.	Mace AD, Randhawa PS, Woolman E, Stearns MP.	Intra-operative parathyroid hormone monitoring using a laboratory based multichannel analyser.
LONDON	2008	Eur Radiol. 2008; 18(9):2015-8.	Woo EK, Simo R, Conn B, Connor SE.	Vocal cord paralysis secondary to a benign parathyroid cyst: a case report with clinical, imaging and pathological findings (2008:6b).
MARSEILLE	2008	Eur J Nucl Med Mol Imaging. 2008; 35(11):2018-25	Colavolpe C, De Micco C, Mancini J, Conte-Devolx B, Henry JF, Mundler O, Taïeb D.	Does 18F-FDG PET/CT add diagnostic accuracy in incidentally identified non-secreting adrenal tumours?
MARSEILLE	2008	Clin Endocrinol (Oxf). 2008; 69(4):580-6	Taïeb D, Tessonier L, Sebag F, Niccoli-Sire P, Morange I, Colavolpe C, De Micco C, Barlier A, Palazzo FF, Henry JF, Mundler O	The role of 18F-FDOPA and 18F-FDG-PET in the management of malignant and multifocal pheochromocytomas.
MARSEILLE	2008	World J Surg. 2008; 32(5):840-4	Ippolito G, Palazzo FF, Sebag F, Thakur A, Cherenko M, Henry JF.	Safety of laparoscopic adrenalectomy in patients with large pheochromocytomas: a single institution review.
NEWCASTLE	2008	Br J Surg. 2008; 95(9):1075-6	Hardy R, Lennard TW.	Subtotal adrenalectomy.
NEWCASTLE	2008	J Clin Pathol. 2008; 61(8):939-44.	CS, Pearce SH, Ball SG, James RA, Lennard TW, Bliss RD, Quinton R, Johnson SJ.	Impact of standardised reporting in adrenocortical carcinoma: a single centre clinicopathological review.
NEWCASTLE	2008	J Voice. 2008; 22(6):765-72	Meek P, Carding PN, Howard DH, Lennard TW.	Voice change following thyroid and parathyroid surgery.

BAETS publications 2007-March 2011

OXFORD	2008	Langenbecks Arch Surg.; 393(5):739-43	Mihai R, Weisters M, Stechman MJ, Gleeson F, Sadler G.	Cost-effectiveness of scan-directed parathyroidectomy.
OXFORD	2008	Langenbecks Arch Surg.; 393(5):725-7	Mihai R, Gleeson F, Roskell D, Parker A, Sadler G.	Routine preoperative (123)I-MIBG scintigraphy for patients with pheochromocytoma is not necessary.
OXFORD	2008	Ann R Coll Surg Engl. 2008; 90(4):271-7.	Mihai R	The calcium sensing receptor: from understanding parathyroid calcium homeostasis to bone metastases.
OXFORD	2008	Eur J Anaesthesiol. 2008; 25(6):508-10	Mihai R, Sadler GP, Bridge H.	Adrenergic blockade with phenoxybenzamine and propranolol in a cohort of 60 patients undergoing surgery for pheochromocytoma.
OXFORD	2008	World J Surg. 2008; 32(5):807-14	Mihai R, Sadler GP	Pasieka's parathyroid symptoms scores correlate with SF-36 scores in patients undergoing surgery for primary hyperparathyroidism.
OXFORD	2008	Clin Endocrinol (Oxf). 2008; 68(2):155-64	Mihai R, Wass JA, Sadler GP.	Asymptomatic hyperparathyroidism--need for multicentre studies.
OXFORD	2008	Nat Clin Pract Endocrinol Metab. 2008; 4(1):53-8	Hannan FM, Nesbit MA, Christie PT, Fratter C, Dudley NE, Sadler GP, Thakker RV.	Familial isolated primary hyperparathyroidism caused by mutations of the MEN1 gene.
Centre	year	journal	authors	title

BAETS publications 2007-March 2011

Centre	year	journal	authors	title
2007				
BIRMINGHAM	2007	J Cell Physiol. 2007; 212(3):643-54.	Susarla R, Watkinson JC, Eggo MC.	Regulation of plasminogen activators in human thyroid follicular cells and their relationship to differentiated function.
BIRMINGHAM	2007	Oncogene. 2007; 26(30):4344-56.	Boelaert K, Smith VE, Stratford AL, Kogai T, Tannahill LA, Watkinson JC, Eggo MC, Franklyn JA, McCabe CJ.	PTTG and PBF repress the human sodium iodide symporter.
BRISTOL	2007	Br J Surg. 2007; 94(10):1232-41.	Wong CK, Lai T, White S, Sheffield E, Wheeler MH, Stewart CE, Farndon JR.	Characterization of the insulin-like growth factor axis and Wilms' tumour suppressor gene in hyperparathyroidism.
Bury St Edmunds	2007	Int J Surg. 2007; 5(1):41-4.	Walsh SR, Kumar B, Coveney EC.	Serum calcium slope predicts hypocalcaemia following thyroid surgery.
CAMBRIDGE	2007	Br J Surg. 2007; 94(12):1491-5.	Gupta Y, Ahmed R, Happerfield L, Pinder SE, Balan KK, Wishart GC.	P-glycoprotein expression is associated with sestamibi washout in primary hyperparathyroidism.
CARDIFF	2007	J Womens Health (Larchmt). 2007; 16(9):1362-5.	Junglee N, Harries SE, Davies N, Scott-Coombes D, Scanlon MF, Rees DA.	Pheochromocytoma in Pregnancy: When is Operative Intervention Indicated?
CARDIFF	2007	Anaesthesia. 2007; 62(1):94.	Appadurai IR, Scott-Coombes D.	Methylene blue for parathyroid localisation.
CHESTERFIELD	2007	Ann R Coll Surg Engl. 2007; 89(2):W9-11.	Khan MA, North AP, Chadwick DR.	Prolonged postoperative altered mental status after methylene blue infusion during parathyroidectomy: a case report and review of the literature.
DUBLIN	2007	Ir J Med Sci. 2007; 176(2):87-90.	Dijkstra B, Prichard RS, Lee A, Kelly LM, Smyth PP, Crotty T, McDermott EW, Hill AD, O'Higgins N.	Changing patterns of thyroid carcinoma.
HULL	2007	Intl J of Experim Path (2007) 88(4) 271-277	Jebreel A., England J., Bedford K., Murphy J., Karsai L., Atkin S	Vascular endothelial growth factor (VEGF), VEGF receptors expression and microvascular density in benign and malignant thyroid diseases
HULL	2007	BMJ. 2007; 334(7596):710.	England RJ, Atkin S.	Total thyroidectomy is best operation for thyrotoxicosis.
LEEDS	2007	J Cardiothorac Surg. 2007; 2:41.	Tcherveniakov P, Menon A, Milton R, Papagiannopoulos K, Lansdown M, Thorpe JA.	Video-assisted mediastinoscopy (VAM) for surgical resection of ectopic parathyroid adenoma.

BAETS publications 2007-March 2011

LONDON	2007	ANZ J Surg. 2007; 77(12):1058-61.	Delbridge LW, Palazzo FF.	First parathyroid surgeon: Sir John Bland-Sutton and the parathyroids.
LONDON	2007	Clin Nucl Med. 2007; 32(4):306-8.	Desigan S, Syed R, Conway GS, Kurzawinski TR, Bomanji JB.	Giant cervical parathyroid adenoma mimicking a sternocleidomastoid mass and presenting as a brown tumor of the mandible.
LONDON	2007	Nephrology (Carlton). 2007; 12(4):386-90.	Davenport A, Stearns MP.	Administration of pamidronate helps prevent immediate postparathyroidectomy hungry bone syndrome.
LONDON	2007	Clin Otolaryngol. 2007; 32(3):179-84.	Randhawa PS, Mace AD, Nouraei SA, Stearns MP.	Primary hyperparathyroidism: do perioperative biochemical variables correlate with parathyroid adenoma weight or volume?
LONDON	2007	Histopathology. 2007; 50(2):225-31.	Zafon C, Obiols G, Castellví J, Tallada N, Baena JA, Simó R, Mesa J.	Clinical significance of RET/PTC and p53 protein expression in sporadic papillary thyroid carcinoma.
LONDON	2007	J Laryngol Otol. 2007; 121(10):986-9.	Skilbeck C, Leslie A, Simo R.	Thyroid isthmusectomy: a critical appraisal.
MANCHESTER	2007	World J Surg Oncol. 2007; 5:103.	Alzaraa A, Udom V, Mousa H, Alzein A, Benhamida A, Dalal N.	Combined endocrine and exocrine tumours of the pancreas.
MARSEILLE	2007	Surgery. 2007; 142(6):819-2	Ippolito G, Palazzo FF, Sebag F, Henry JF.	Long-term follow-up after parathyroidectomy for radiation-induced hyperparathyroidism.
MARSEILLE	2007	Br J Surg. 2007; 94(5):566-70.	Ippolito G, Palazzo FF, Sebag F, De Micco C, Henry JF.	Intraoperative diagnosis and treatment of parathyroid cancer and atypical parathyroid adenoma.
NEWCASTLE	2007	World J Surg. 2007; 31(4):849-54	Madani R, Al-Hashmi M, Bliss R, Lennard TW.	Ectopic pheochromocytoma: does the rule of tens apply?
NEWCASTLE	2007	Surgeon. 2007; 5(4):249- 51.	Ab Hadi I, Bliss RD, Lennard TW, Welch AR.	Primary squamous cell carcinoma of the thyroid gland: a case report and role of radiotherapy.
OXFORD	2007	Can J Anaesth; 54(1):79- 81.	Mihai R, Mitchell EW, Warwick J.	Dose-response and postoperative confusion following methylene blue infusion during parathyroidectomy.
OXFORD	2007	Br J Surg; 94(1):42-7	Mihai R, Palazzo FF, Gleeson FV, Sadler GP.	Minimally invasive parathyroidectomy without intraoperative parathyroid hormone monitoring in patients with primary hyperparathyroidism.